Arth-A® TS

Tablet

Glucosamine Sulfate 750 mg & Chondroitin Sulfate 600 mg

Composition

Each film-coated tablet contains Glucosamine Sulfate Potassium Chloride USP eq. to Glucosamine Sulfate 750 mg and Chondroitin Sulfate Sodium USP eq. to Chondroitin Sulfate 600 mg.

Pharmacology

Arth-A® TS tablet is a balanced combination of two leading natural supplements of healthy cartilage Glucosamine and Chondroitin. Glucosamine is a naturally occurring amino sugar of cartilage that provides the basic raw material needed the body to manufacture joint cartilage. Chondroitin is another naturally occurring mucopolysaccharide of cartilage that stimulates cartilage production, inhibits cartilage destroying enzymes, draws fluid to the cells and helps lubricate the joints.

They work synergistically together to help stimulate the production and regeneration of connective tissues (e.g. cartilage, bone tendon, skin, mucous membrane, blood vessels etc.).

Indications

Indicated for the treatment of osteoarthritis of knee, hip, spine, hand, and other locations as a dietary supplement. It is also beneficial in rheumatoid arthritis, sport injuries, migraine, different skin problems (e.g. psoriasis), vascular complications (e.g. atherosclerosis), kidney stones and inflammatory bowel disease (e.g. ulcerative colitis, leaky gut syndrome).

Dosage and Administration Route of Administration: Orally.

Noute of Administration .

1 tablet two times daily.

Or as directed by the physician.

Contraindications

There are no known contraindications for Glucosamine and Chondroitin. But proven hypersensitivity to Glucosamine and Chondroitin is a contraindication.

Warning & Precautions

Diabetics patients are advised to monitor blood glucose levels regularly while taking Glucosamine. No. special studies were formed in patients with renal and /or hepatic insufficiency. The toxicological and pharmacokinetic profile of the product does not indicate limitations for these patients. However administration to these patients with severe hepatic or renal insufficiency should be under appropriate medical supervision.

Side-Effects

Common side effects: Both Glucosamine and Chondroitin Sulfates are virtually nontoxic.

Rare side effects: Side effects are rare and are limited to stomach upset, nausea, constipation or diarrhoea. These usually disappear when the tablet is taken with meals.

Use in pregnancy & Lactation

Women who are pregnant or who could become pregnant should not be supplemented with Glucosamine and Chondroitin. Glucosamine and Chondroitin has not been studied enough to determine their effects on a developing fetus. No studies have evaluated the use of glucosamine and Chondroitin during pregnancy or lactation. Glucosamine and Chondroitin should be taken with caution and medical advice during pregnancy and lactation.

Use in Children & Adolescents

Safety and efficacy in children below 12 years of age have not been established.

Drug Interactions

With Medicine: There have been no reports of significant drug interactions of Glucosamine with antibiotic/anti-depressants/ anti-hypertensives/ nitrates/ anti-arrhythmic/anxiolytic/ hypoglycemic agents /anti-secretives.

But in case of Chondroitin there is a chance of drug interaction with blood-thinning medications (e.g. warfarin, heparin).

With food & others: No interaction with food & others.

Overdose

Diarrhoea may be occurred.

Storage

Keep out of the reach of children.

Store below 30°C & in dry place, protected from light.

Packing

Each box contains 3X10 tablets in alu-alu blisters.

* Further information is available on request.



07 1416/01