

Liquid

Betalyte Vet

Betaine, Vitamin C, Potassium Chloride,
Magnesium Chloride, Calcium Chloride & Sodium Chloride

Only for the use of animals

Composition

Each ml contains Betaine 250 mg, Vitamin C 90 mg, Potassium Chloride 2 mg, Magnesium Chloride Hexahydrate 4 mg, Calcium Chloride Dihydrate 40 mg & Sodium Chloride 20 mg.

Indications

- Relieves symptoms and health problem caused by stress
- Reduces susceptibility to illness & mortality
- Helps to increase production (meat &/or egg)
- Helps to refresh
- Helps to rehydrate

Dosage & Administration

Only for the use in poultry feed.

Prevention: 1 ml/Liter drinking water for 3-5 days.

During stress: 2 ml/Liter drinking water for 3-5 days.

Use of this solution may be continued if stress persists.

Or as directed by the registered Veterinary physician

Side Effects

No side effect is observed at recommended dose.

Withdrawal Time

Meat & egg- 0 (Zero) day.

Storage

Store below 30° C temperature & dry place, protected from light.

Keep out of reach of children.

Packing

100 ml, 500 ml & 1 Liter.



Manufactured by

The ACME Laboratories Ltd.

Veterinary Division

Dhulivita, Dhamrai, Dhaka, Bangladesh

