Bolus, Liquid & Granules

CP-Vet

Vitamins & Minerals

Only for the use of animals

Composition:

CP-Vet Plus Bolus:			CP-Vet Liquid:			CP-Vet Granules:	
Each Bolus contains			Each 20 ml contains			Each gram contains	
Calcium	830	mg	Calcium	325.6	mg	Calcium	42 mg
Phosphorus	500	mg	Magnesium	20	mg	Phosphorus	15 mg
Magnesium	375	mg	Phosphorous	167.7	mg	Vitamin D₃	400 IU
Potassium	250	mg	Vitamin B ₁₂	20	mcg	Vitamin B ₁₂	10 mcg
Sodium	125	mg	Vitamin D ₃	1600	IU	Vitamin C 6	mg
Vitamin D ₃	12500	IU				Citric Acid	0.27 g
Vitamin E	75	IU					
Vitamin B ₁₂	25	mcg					

Indication

CP-Vet Plus Bolus & Liquid

Livestock

- For the prevention of milk fever & grass tetany.
- For the prevention rickets, osteoporosis & dwarfness
- Helps to increase meat &/or milk production
- Helps for development of bone
- Helps to improve immunity.

CP-Vet Granules

Poultry

For the prevention & treatment of Calcium, Phosphorus, Vitamin D₃, Vitamin B₁₂ deficiency symptoms of various diseases, such as- rickets (in case of young animals), osteomalacia (in case of older animals), osteoporosis, cage layer fatigue, soft & thin egg shell & egg deformities, decreases egg production.

Dosage & administration

Only for the use in animal/poultry feed

Route of administration: Oral administration only

CP-Vet Plus Bolus

For oral administration only

For follow-up treatment 4-5 boli/animal daily for 3-5 days following parenteral therapy.

For prevention and other indications.

Cattle, buffalo, horse: 4 boli/day/animal for 3-5 days. Calves, Sheep, goat: 2 boli/day/animal for 3-5 days.

CP-Vet Plus bolus may be administered crushed with water or feed or administered wrapping with banana-leaf directly.

CP-Vet Liquid

For oral administration only Please shake well before use. Cattle & Buffalo: 100 ml/head/day. Calf, Goat & Sheep: 20-25 ml/head/day. It is better to use for 10 days each month.

CP-Vet Granules

For oral administration only

Poultry: 1 g/1.5-2 liter drinking water for 3-5 days. In case of severe stress dose should be double.

Or as directed by the registered Veterinary physician.

Withdrawal time

Meat, milk & egg- 0 (Zero) day.

Storage

Store below 30° C temperature & dry place, protected from light.

Keep out of reach of children.

Packing

Bolus: 10x2 boli in blister strip, Liquid: 500 ml, 1 L & 5 L & Granules: 500 g Sachet.

