Injectable solution

DECAM Vet

Calcium, Magnesium, Phosphorous, Dextrose, & boric acid

Only for the use of animals

Composition

DECAM Vet with Phosphorus contains

Calcium Gluconate 20.8 % W/V

Dextrose 20.0% W/V

Magnesium Hypophosphite 5.0% W/V

Each 200 ml contains:

 Calcium
 3.72 g

 Magnesium
 0.93 g

 Phosphorus
 2.36 g

 Dextrose
 40 g

Pharmacology

DECAM Vet with phosphorus is a sterile aqueous injectable solution containing Calcium, Dextrose, Magnesium and Phosphorus in required proportions for use in Cattle, Buffaloes, Sheep & Goats.

Indications

DECAM Vet Provides effective treatment and control of milk fever, hypomagnesaemia, neonatal hypoglycemia, general debility due to parasitic infestations, lactation tetany, ketosis of ruminants and as a supportive to anthelmintic treatment in Cattle, Buffaloes, Sheep & Goats.

Dosage and administration

Route of administration: For IV/SC/Peritoneum injection only.

For Cattle and Buffaloes: 200-350 ml/animal

Goats & Sheep: 25-50 ml/ animal Dosage may be repeated if necessary.

Or as directed by the registered Veterinary physician.

Contraindication

Besides milk fever if some other fever pertains due to infection, procaine penicillin should not be given within 3 days after administration of Decam Vet Injectable Solution

Side effect

Common side effects: not known Rare side effects:not known

Warning and precaution

Injectable Solution **Decam Vet** is to be administered intra-venously, sub-cutaneously or intra-peritonealy. Before intra-venous injection it is desirable to warm the injectable solution to body temperature and should be administered very slowly.

Before intravenous injection the solution should be warmed to body temperature by placing in a waterbath. 25-30 ml of injectable solution should be given at two separate sites

Use in pregnancy & lactation

No teratogenic effect shown at recommended dosage. However, risk & necessity should considered before administration

Drug interaction

With Drug: Not known.

With feed & others: Not known

Overdose

Usually safe at recommended dose .

Withdrawal time

Meat, Milk & Egg- 0 (zero) day

Storage

Store below 30° C temperature & dry place, protected from light.

Keep all medicine out of reach of children

Packing

200 ml vial .



Dhulivita, Dhamrai, Dhaka, Bangladesh