

Liquid
ENROVET
(Enrofloxacin INN)

Composition

Each ml contains Enrofloxacin INN 100 mg

Indications

For the prevention & treatment of respiratory and digestive tract infections caused by *Mycoplasma*, *E. coli*, *Pasteurella*, *Salmonella* etc. such as Mycoplasmosis, colibacillosis, Fowl Cholera, Salmonellosis etc. It is also indicated for the prevention & treatment of secondary bacterial infections followed by viral infections such as Ranikhet, Gumboro etc.

Dosage & Administration

Prevention: 1 ml/4-8 L drinking water for 3-5 days.

Treatment: 1 ml/2 L drinking water for 3-5 days.

Or, as directed by the registered Veterinarian.

Contraindication

Contraindicated in birds hypersensitive to enrofloxacin.

Drug Interaction

Should not use enrofloxacin along with chloramphenicol, macrolides & tetracyclines.

Withdrawal Period

Meat: 3 days

Egg: Should not use in bird producing eggs for human consumption.

Storage

Store below 30° C and dry place, protected from light.

Keep all medicines out of reach of children.

Supply

100 ml bottle.



Manufactured by:

The ACME Laboratories Ltd.

Veterinary Division

Dhamrai, Dhaka, Bangladesh.

