

LIQUID

FEROVET

Haematinic

Only for the use of animals

Composition

Each ml contains Ferrous Sulphate BP 0.5 mg, Copper Sulphate BP 0.2 mg, Zinc Sulphate USP P 0.2 mg, Cobalt (as Sulphate) Ph. Gr. 0.1 mg, Vitamin B₁₂ BP 0.1 mg,

Pharmacology

Ferrous Sulphate: Helps in synthesis of hemoglobin and thus prevents anemia.

Copper Sulphate: Helps in RBC production and absorption of iron. Acts as a catalyst in the synthesis of hemoglobin.

Cobalt: Helps in vitamin B₁₂ synthesis and amino acid metabolism. It also enhances immunity and appetite.

Zinc Sulphate: Helps in erythropoiesis (production of RBC) and enhances immunity and protein digestion.

Vitamin B₁₂: Helps in maturation of RBC.

Indications

Poultry:

Prevention and treatment of anemia and dermatitis.

Increase immunity, appetite, egg production and hatchability.

Livestock:

For the treatment of deficiency diseases of Iron, Copper, Zinc, Cobalt and Vitamin B₁₂.

Prevention and treatment of anemia caused by worm infestation, falling disease, pit scour, parakeratosis, discoloration of hair coat and alopecia.

Increase immunity and appetite.

Dosage & Administration

Route of Administration: Oral

Livestock: 1 ml/kg body weight twice daily for 5-7 days.

Poultry: 1 ml/ liter of drinking water for 3-5 days.

Or, as directed by the registered Veterinarian.

Contraindication

Not Known

Warning & Precaution

Do not smell the solution. Please close the bottle after use.

Side effects

No Side effects observed at recommended dose.

Drug interaction

Not known.

Overdose

Not known.

Safety Margin

Not known.

Withdrawal Time

Meat & egg- 0 (Zero) day.

Storage

Store below 30° C temperature and dry place, protected from light.

Keep all medicines out of reach of children.

Packing

100 ml, 500 ml & 1 L in bottle.



Manufactured by

The ACME Laboratories Ltd.

Veterinary Division

Dhulivita, Dhamrai, Dhaka, Bangladesh

